











## Gem • 2 136 S.S. — Rev. 2 (04/07) Copyright © 2007 SLOAN VALVE COMPANY Printed in the U.S.A.

# Gem·2® Model Flushometer



#### Description

Exposed, Water Closet Flushometer for top inlet squat toilets.

#### Flush Cycle

- ☐ Model 136 Water Saver (3.5 gpf/13.2 Lpf)
- ☐ Model 136-2.4 (2.4 gpf/9.0 Lpf)
- ☐ Model 136-1.6 Low Consumption (1.6 gpf/6.0 Lpf)

### Specifications

Quiet, Exposed, Piston Type, Chrome Plated Closet Flushometer with the following features:

- Fixed Volume Piston with Filtered O-ring Bypass
- ADA Compliant Metal Oscillating Non-Hold-Open Handle
- 1" I.P.S. Screwdriver Bak-Chek® Angle Stop
- Locking Vandal Resistant Stop Cap
- Adjustable Tailpiece
- Vacuum Breaker Flush Connection
- $\bullet\,$  Spud Coupling, Wall and Spud Flanges for 1½" Top Inlet
- High Copper, Low Zinc Brass Castings for Dezincification Resistance
- Non-Hold-Open Handle and No External Volume Adjustment to Ensure Water Conservation
- Handle Packing, Stop Seat and Vacuum Breaker Molded from PERMEX™ Rubber Compound for Chloramine Resistance

Valve Body, Cover, Tailpiece and Control Stop shall be in conformance with ASTM Alloy Classification for Semi-Red Brass. Valve shall be in compliance to the applicable sections of ASSE 1037, ANSI/ASME A112.19.2, and Military Specification V-29193.

#### Variations

$\Box$ U	11/4" Flush Connection and Spud Coupling
□ XYV	Less Vacuum Breaker
□ YB	Sweat Solder Adapter Kit
☐ YBYC	Sweat Solder Adapter & Cast Wall Flange with Set Screw
□YJ	Split Ring Pipe Support
□YK	Solid Ring Pipe Support

Note: Bak- Chek® Angle Stop available with 1" Whitworth Thread (please specify).

See Accessories Section of the Sloan catalog for details on these and other Flushometer variations.

This space for Architect/Engineer approval		
Job Name	Date	
Model Specified	Quantity	
Variations Specified		
Customer/Wholesaler		
Contractor		
Architect		

The information contained in this document is subject to change without notice.



